

Work Order ID 83754

83754

Page 1

April 25, 2012 9:08:41 AM

Item ID: D3215-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Belt Assembly
 Start Date: 4/25/12 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 5/15/12 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: CX Date: 12/04/25 Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3215	Rev D

100 PURCHASING 0.00
100
 Purchasing Memo 0.00
 Purchasing Issue P/O: 16824 to Tulmar Safety Systems
 D3215-041 as per Dwg D3215
 Ship to Tulmar
 Certificate of Conformity is required

CX 12/04/25 (10)

110 Receive & Inspect for Damage & Mat'l Certs 0.00
110
 Packaging Memo 0.00
 Packaging Ensure certificate of conformity is attached

10/17/09 (10)

120 QC6- Inspect dimensions to drawing 0.00
120
 QC Memo 0.00
 Quality Control

8/26/09

(10)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 83754***83754***

Page 2

April 25, 2012 9:08:41 AM

Item ID: D3215-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Belt Assembly
Start Date: 4/25/12 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 5/15/12 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: 269	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

100 **12/5/09**

MLJ 12/05/09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April 25, 2012 9:08:40 AM

Page 1

Work Order ID: 83754

Parent Item: D3215-041

Parent Item Name: Belt Assembly

Start Date: 4/25/12

Required Date: 5/15/12

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP A03.10.28New IssueKJ/RF
IPP B 07.06.12 ecn 940 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3215-041P Harness Assembly		Purchased	No			110	Each	0.0000	1	10		4/4/12 (10)	
D3215-3 Webbing Tidy		Manufactured	No			100	Each	38.0000	1	10		02/12/10/125	

				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST033		38				10			
				77324		38							
D3216-1 Fitting		Manufactured	No			100	Each	9.0000	1	10		02/12/10/125	

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST033	9	
77325	9	

1x

77325 x 9
B83767 02/12/10/101

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

CHECKED

APPROVED

DRAWING NO.

REV. D

D3215

SHEET '1 OF 3

DATE

TITLE


SCALE

07.03.27

BELT ASSEMBLY

NTS

A	03.09.19	NEW ISSUE
B	04.01.12	AS MANUFACTURED; ADD TOLERANCE
C	04.03.05	REDUCE LENGTH; CLARIFY STITCHING
D	07.03.27	ADD WEBBING SUPPLIER; ADD LABEL THREAD AND MATERIAL; IN VIEW A-A, 1.4 WAS 1.8; ADD -3A AND -3B; UPDATE TOLERANCES




ASSEMBLY DETAIL
NOT TO SCALE

RELEASED
07-06-07

PARTS LIST:

QTY	P/N	DESCRIPTION
X	D3215-041	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
1	D3215-3	WEBBING TIDY
1	D3216-1	WEBBING ADJUSTER



D3215-041 BELT ASSEMBLY:

- MATERIAL: WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN
OR BELT TECH CANADA INC. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN

WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD

LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD

- ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- TOLERANCES ARE PER DART QSI 01B UNLESS OTHERWISE NOTED.
- SEE SHEET 3 FOR VIEW A-A

212104/25
010.83754

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>H</i>	DRAWING NO. D3215	REV. D SHEET 2 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS



D3215-043 BELT ASSEMBLY:

1) MATERIAL:

WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 5700 lb MIN

OR
Belt Tech Canada Inc. 27039, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 6000 lb MIN

WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3,
BLACK NYLON THREAD

LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F,
BLACK NYLON THREAD


2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE
NOTED.

3) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED.

4) SEE SHEET 3 FOR VIEW A-A



RELEASED
07.06.07 *H*



ASSEMBLY DETAIL
NOT TO SCALE

PARTS LIST:


QTY	P/N	DESCRIPTION
X	D3215-043	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
2	D3215-3	WEBBING TIDY
2	D3216-1	WEBBING ADJUSTER

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 3 OF 3
DATE 07.03.27	TITLE HARNESS ASSEMBLY		SCALE 3:2



VIEW A-A

TYPICAL STITCHING PATTERN
(D6193 TYPE 301, 7-10 STITCHES PER IN.
USE 1/2 MIN. BACKSTITCH, NO LOOSE THREADS)



D3215-3A/-3B NOTES:

- 1) MATERIAL: 5052-H32 ALUMINUM SHEET, 0.040 THICK PER QQ-A-250/8 OR AMS 4016 (REF DART SPEC. M5052H32S.040)
- 2) BEND D3215-3A PER D3215-3

D3215-1 LABEL:

- 1) MATERIAL: WHITE TYVEK OR WHITE POLYESTER WHICH MEETS FMVSS 302
- 2) USE 1/8 BLACK LETTERING
- 3) CENTER ON BELT WIDTH

RELEASED


07.06 07 *[Signature]*

GENERAL NOTES:

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

D3215-3 NOTES:

- 1) WELD PER DART QSI 004
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT BLACK SANDEX (4.3.5.7)
PER DART QSI 005 4.3



D3215-3 WEBBING TIDY

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO16824

Purchase Order Date 4/25/12

PO Print Date 4/25/12

Page Number 1 of 1

Order From :

VC-TUL001

TULMAR SAFETY SYSTEMS
1123 CAMERON ST
HAWKESBURY, ON K6A 2B8
CA

Contact Name

Vendor Phone

613 632 1282

Vendor Fax

613 632 2030

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA


FAKED
4/25/12

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D3215-041P	Harness Assembly	5/15/12 Yes	10.00 Each	Dart Truck	\$17.0000	\$170.00

Special Inst: AS PER DWG D3215 REV. D
B83754

PO Total:

\$170.00



Change Nbr: 1

Change Date: 4/25/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

PACKING SLIP

TULMAR

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, ON K6A 2B8 CA
Tel: 613-632-1282
Fax: 613-632-2030
MID : XOTULSAF1123HAW
email: info@tulmar.com

Packing Slip No.

43928

Ship Date

8-May-12

Bill To:

Dart Aerospace
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7. Canada

Ship to:

Dart Aerospace
1270 Aberdeen Street
Att: Chantal Lavoie
Tel: 613-632-9577
Hawkesbury, ON K6A 1K7. Canada

Order number	Sales order date	Account number	Account manager
28513	26-Apr-12	CDART100	Helena Vandeweerd
PO number	Ship Via	Shipping Terms	
PO16824	Pick-Up	FOB HAWKESBURY	
Item No.	Quantity ordered	UOM	Qty Shipped/Returned
Description			Quantity on back order

8937	10	EA	10
Belt Ass'y, 2" wide, Black Webbing			
Drawing No: D3215 (P/N D3215-041)			
DWG Rev: D			
Lot No: BATCH0000000030 Qty: 10			

Shipper

Rick Reed

Date:

MAY 08 2012

Certificate of Conformance

☒ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.
If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector

Alain La Rivière

Date:

MAY 08 2012



American & Efird Inc.
Post Office Box - 507
Mount Holly, NC -28120

Test Report

Date : 10/1/2010

Mfg. Date : 3/27/2010

Lot Id : 705150

Quantity: 44

Product : Tex 90 BONDED 'Z' NYLON FILAMENT Black AA 63002 16 OZ

Specification : A-A-59826 TPII CLA F BT92N4

Customer Order Number : 17499-00

Plys (Visual) : 4

Customer : Tulmar Safety Inc.

Twist Direction : Z

Shipped To : Tulmar Safety Inc.

A&E Color : 63002 Black
AA

Description : Bright, Continuous Multifilament Nylon, Melting Point >472F; Colorless Nylon Polymer Bond; Polypropylene Spools

Characteristic	Test1	Test2	Test3	Test4	Test5	Average	Minimum	Maximum
Strength #1 (Pound)	15.2	15.7	15.6	15.7	15.8	15.619		
Strength #2 (Pound)	15.4	15.1	15.2	15.4	14.8	15.177		
Average Strength (Pound)						15.4	11.8	

Elongation #1 (Percent)	20.5	22.4	21.8	22	21.8	21.722		
Elongation #2 (Percent)	22.3	21.4	21.9	22.5	21.1	21.856		
Average Elongation (Percent)						21.8		26

Lube

Pass Pass

Twist S #1 (Turns per inch)	12.2	12.2	12.2	12.2	12.2	12.2		
Twist S #2 (Turns per inch)	12.2	12.2	12.2	12.2	12.2	12.2		
Average Twist S (Turns per inch) Initial Twist						12.2		

Twist Z #1 (Turns per inch)	8.1	8.1	8.1	8.1	8.1	8.1		
Twist Z #2 (Turns per inch)	8.1	8.1	8.1	8.1	8.1	8.1		
Average Twist Z (Turns per inch) Final Twist						8.1	5.5	

Yield #1 (Yards/Pound)	4211.8		4211.8					
Yield #2 (Yards/Pound)	4114.7		4114.7					
Average Yield (Yards/Pound)			4163.2	3601	5200			

Laundry #1 (Grading Scale)	5		5					
Laundry #2 (Grading Scale)	5		5					
Average Laundry (Grading Scale)			5	3				

Dry Cleaning #1 (Grading Scale)	5
Dry Cleaning #2 (Grading Scale)	5
Average Dry Cleaning (Grading Scale)	

5	
5	
5	3

Perspiration #1 (Grading Scale)	5
Perspiration #2 (Grading Scale)	5
Average Perspiration (Grading Scale)	

5	
5	
5	3

Color Fastness to Light #1 (Grading Scale)	5
Color Fastness to Light #2 (Grading Scale)	5
Average Color Fastness to Light (Grading Scale)	

5	
5	
5	3.4

I certify that the above test were performed under my supervision and in accordance with the specification test requirements and that the reported test results are true, valid and applicable to the samples tested. I further certify that these samples were the only samples tested from the lot of components identified above.

Signed :

Joseph D. Munday

Joseph D. Munday
Testing Director

Note :

This Certificate of Compliance is the property of American & Efird Inc. and may not be reproduced except in it's entirety.

755 2530/49 *EW*

Belt-Tech Products Inc.

Certificate of Compliance No : 56 412

Page : 1 de 1

Date : 2010-10-22

Time : 13:31:04

Pattern : 27039

Width : 47.000

Dye lot No : 432674

Color : CG008 BLACK

Meters : 6 728.00

Warp Order :

Customer : TULMAR SAFETY SYSTEMS

Test Date : 2010/10/22

Nissan

Legend : Y = Good - Pass
N = Fail

Customer Part Number 18440-00

5265109

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930 Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175 Y
ASTM D-3775	2008/07/01	Picks per cm	7.000		7.200	7.200	7.200	7.200 Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640 Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000 Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700 Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.000	4.000	4.000	4.000 Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500 Y
AATCC TM 107	2009/01/01	Dye stability (staining)	3.000		4.500	4.500	4.500	4.500 Y

Specification(s) : FMVSS 209 revised on 2008-10-01

FMVSS 302 revised on 2008-10-01

Comment(s)

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the Purchase Order # and was tested at $22 \pm 3^{\circ}\text{C}$ temperature and 45-55 % relative humidity.

Not applicable for downgraded (second) material

If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

Approved by :

4.10-1403E (2010-03-31)

TBS # 2281/12 (S)



Belt-Tech Products Inc.

386 Dorchester Street

Granby, Québec

J2G 3Z7

*** Tel: (450) 372-5826 ***

*** Fax: (450) 372-4179 ***

October 16th 2007

Tulmar Safety Systems Inc.

1123 Cameron Street


Hawkesbury, Ontario

K6A 2B8

Attention to Sandra Nadeau

By this letter, we certify that our pattern 27039/47, in all colors, meets the flammability specification of 102 mm/minute maximum of FMVSS 302 and 2.5"/minute maximum of FAR 25-853A.

Best regards,


Lyne Renaud
Quality Control Manager

They will not Modify the certificate
- will attach with c/c for future
Reference Oct /2007. (S)

tec 2281



cansew inc.

formerly / anciennement
Canadian Sewing Supply Ltd. / Ltée - established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings.
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

16 September 2008

Tulmar Safety Systems
1123 Cameron Street
Hawksbury, Ontario
K6A 2B8


Att. Sandra Nadeau

CERTIFICATE OF COMPLIANCE

This is to certify that the items mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 16 September 2008, have been produced in accordance with the requirements of Purchase Order no. 14743-00 of the same date:

- *-Bonded Nylon CB207 - 20.05 lb, colour black, lot # 710805, meeting the requirements of specification V-T-295, Type 2, Class A, Size 3, 3 ply
- Bonded Nylon CBB92 - 64.30 lb, colour OG-107, lot # 667896 and 587426, meeting the requirements of specification V-T-295, Type 2, Class A, Size F

Yours truly,


Helene Schachter
CANSEW INC.

MONTREAL - Head Office/Siège social

111 Chabanel W/O, H2N 1C9
Administration (514) 382-2807
Commandes/Orders (514) 382-2801
1-800-361-7722
FAX: (514) 385-5530

TORONTO

28 Apex Rd. M6A 2V2
(416) 782-1122
1-800-387-8584
FAX: (416) 782-8358

WINNIPEG

1674 Church Ave R2X 2W9
(204) 942-4264
1-800-665-0701
FAX: (204) 947-9280

CALGARY

3932 - 29th St. N.E. T1Y 6B6
(403) 291-4494
1-800-667-4197
FAX: (403) 291-5139

VANCOUVER

1615 Venables St. V5L 2H1
(604) 682-4341
1-800-580-0737
FAX: (604) 682-4196

info@cansew.ca

www.cansew.ca

TSS# 2524/54

TSS# 2525/41 (S)



Certificate of Compliance

DATE:

5/11/11

AVERY PRODUCT NUMBER:

25KADSAFE TSS Part # 22019-001

CUSTOMER P/O NUMBER:

19743-00

CUSTOMER:

Tulmar Safety Systems

PRODUCT:

152360138 2360NWT - 10D011625 HS1111

QUANTITY SHIPPED:

1 Kit

LOT NUMBER:

N/A

SS1796

DATE OF MANUFACTURE:

4/27/11

ROLL NUMBER:

N/A

SHELF LIFE:

2 years

We certify that the product,

2360NWT & HS1111
Fire Retardant Thermal Black Ribbon
Coated Nylon

was manufactured, inspected and conforms to specifications applicable to the product.

Signature:

Richard Henderson

Title:

SHOULDER COORDINATOR

TSS # 22019-001/03